Author Index of Volume 154

Abdi, S. H. R., 103
Abou-Hamdan, A., 83
Arif, M., 17
Arrizabalaga, Ph., 35

Bailar, J. C., Jr., 51, 55
Bates, P. A., 17
Beck, M. T., 99
Bencini, A., 215
Bernardinelli, G., 35
Biran, I., 129
Biscarini, P., 209
Boeyens, J. C. A., 229
Bonuzzi, C., 41
Bor, G., 109
Bour, J. J., 89
Bressan, M., 41
Brewer, C. T., 67
Brewer, G. A., 67
Brewer, T. R., 221
Buchanan, B. E., 1

Canty, A. J., 5
Castan, P., 35
Chirayil, S., 77
Cipriano, C., 63
Clarke, P., 83
Cleland, W. E., Jr., 95
Cohen, S., 129
Cros, G., 31
Cunha, C. J., 63

Darsey, G. P., 95
Dartiguenave, M., 21
Dartiguenave, Y., 21
Deacon, G. B., 121
de Jong, F., 89
Dietler, U. K., 109
Dobson, S. M., 229
Driessen, W. L., 141
Dzugan, S. T., 169

Emsley, J., 17
Enemark, J. H., 95

Fanning, J. C., 189
Feinstein-Jaffe, I., 129
Forsyth, C. M., 121
Fujiwara, T., 51, 55

Geiger, D. K., 137
Geoffroy, M., 35
Geselowitz, D. A., 225
Goedken, V. L., 169
Gupta, S. K., 183

Hämäläinen, R., 201
Hancock, R. D., 229
Harkin, P., 1
Hatano, M., 45, 59
Heil, C. A., 9
Hounslow, A. M., 83
Hursthouse, M. B., 17

Johnson, D. W., 221

Kathó, Á., 99
Kelly, C. A., 137
Khandelwal, B. L., 183
Klein, H.-F., 21
Knoch, F., 157
Kotun, M. E., 189
Kozlov, V. G., 239
Kundu, K., 183
Kunstmann, H., 157
Kuroda, K., 209

Laurent, J.-P., 31
Lawrence, S. A., 129
Lincoln, S. F., 83

McGovern, E., 1
Mahalu, D., 129
Mani, F., 215
Marina, N. G., 239
Massoud, S. S., 115
Matsubayashi, G.-E., 133
Mazurek, W., 71

Menu, M.-J., 21
Milburn, R. M., 115
Mirza, S. A., 103
Moll, M., 157
Monakov, Yu. B., 239
Morandini, F., 41
Moritz, A. G., 71
Morvillo, A., 41
Muraoka, T., 45, 59
Murinov, Yu. I., 239

Nielson, A. J., 177
Nojo, T., 133
Norman, A. D., 9
Nozawa, T., 45, 59

Pennington, W. T., 189

Ramachandraiah, G., 103
Reedijk, J., 141, 201
Roberts, S. A., 95

Sahni, S. K., 141
Savel'eva, I. G., 239
Schlebos, P. P. J., 89
Sellman, D., 157
Shaikjee, M. S., 229
Silver, G. L., 123
Sreelatha, Ch., 103

Tanaka, T., 133
Tannenbaum, R., 109
Taqui Khan, M. M., 103
Thummel, R. P., 77
Tolstikov, G. A., 239
Toma, H. E., 63
Turpeinen, U., 201

Vos, J. G., 1

Watson, A. A., 5
Wiemer, T., 21

Xin Wang, 189

© Elsevier Sequoia/Printed in Switzerland

Subject Index of Volume 154

Alcoholato complexes
  synthesis, structure and magnetism of two hexameric Cu(II) complexes; diaquabis[μ-(4-bromobenzoate-*O,O'*)]-tetrakis(4-bromobenzoate)-hexakis[μ-(2-dimethylaminoethanolato)]hexacopper(II) and bis[μ_3-(2-dibutylaminoethanolato)-μ-(2-dibutylaminoethanolato)]tetrakis(μ-dichloroacetato-*O,O'*)-bis-(dichloroacetato)-di-μ_3-hydroxo-hexacopper(II), 201
Alkyl complexes
  binuclear Pd^{IV}–Pd^{IV} and Pd^{IV}–Pt^{IV} μ-hydrocarbyl complexes, 5
  investigation of Al–C bond reactivity in bidentate ligand system; structure and reactivity studies of $[Al(8\text{-quinolinol})(C_2H_5)_2]_2$, 169
  methylnickel compounds with chelating anionic ligands; crystal and molecular structures of methyl(trimethylphosphine)Ni oxinate and oxalate dimer, 21
Aluminum complexes
  investigation of Al–C bond reactivity in bidentate ligand system; structure and reactivity studies of $[Al(8\text{-quinolinol})(C_2H_5)_2]_2$, 169
Amido complexes
  synthesis of new soluble Sm(II) diorganoamide, 121
Amine complexes
  preparation and ^{13}C NMR study of carbonato–, bicarbonato– and oxalato–tetraaminecobalt-(III) complexes, 115
  reactions of coordination compounds in solid state; behavior of optically active salt of *cis*-α-dichloro(triethylenetetramine)Co(III) chloride, $[Co(trien)Cl_2]Cl$, 51
  Ru(II) complexes of tetra-2-pyridyl-1,4-diazine, 77
Ammine complexes
  is hexaamminecobalt(III/II) electron self-exchange spin-forbidden? Analogy to photochemical processes, 225

Bidentate ligand complexes
  application of high-performance liquid chromatography in investigation of reactions involving Ru(II)bis(bipyridyl) compounds, 1
  Cu(II) complexes with 2,2′-biimidazole; preparation and crystal structure determination of complex of stoichiometry $Cu_{1.5}Cl_3(H_2bim)_2$ (H_2bim = 2,2′-biimidazole), 215
  diaquabis(1,3-diaminopropane)Cu(II) difluoride; X-ray structure reveals short H bonds between ligand waters and lattice fluorides, 17
  investigation of Al–C bond reactivity in bidentate ligand system; structure and reactivity studies of $[Al(8\text{-quinolinol})(C_2H_5)_2]_2$, 169
  methylnickel compounds with chelating anionic ligands; crystal and molecular structures of methyl(trimethylphosphine)Ni oxinate and oxalate dimer, 21
  solution structures of tetrakis(1,2-ethanedithiolato)diiron(III) ion, 45
  stereoselective synthesis and characterization of optically labile chiral Cr(III) complex $\Delta\text{-}(+)_{589}\text{-}\{Cr[(-)bdtp]_3\}$, 209
  synthesis and NMR characterization of cationic Rh(I) complexes containing P–S bidentate ligands, 41
  X-ray molecular structure of bis(tetrabutylammonium)-bis(4,5-dimercapto-1,3-dithiole-2-thionate)oxomolybdenum and its oxidation, 133
Binuclear complexes
  isolation of $[\{HB(Me_2pz)_3\}MoO_2(OC_6H_4S)]_2$, binuclear Mo(VI) complex containing disulfide bond, 95
  solution structures of tetrakis(1,2-ethanedithiolato)diiron(III) ion, 45

Carbonato complexes
  preparation and ^{13}C NMR study of carbonato–, bicarbonato– and oxalato–tetraaminecobalt-(III) complexes, 115
Carbonyl complexes
  quantitative IR spectroscopic determination of concentrations of Co carbonyl complexes in three-component system, 109
Carboxylate complexes
  redox potentials of trinuclear μ-oxo Ru acetate clusters with N-heterocyclic ligands, 63
  synthesis, structure and magnetism of two hexameric Cu(II) complexes; diaquabis[μ-(4-bromobenzoato-*O,O'*)]-tetrakis(4-bromobenzoato)-hexakis[μ-(2-dimethylaminoethanolato)]hexacopper(II) and bis[μ_3-(2-dibutylaminoethanolato)-μ-(2-dibutylaminoethanolato)]tetrakis-(μ-dichloroacetato-*O,O'*)-bis(dichloroacetato)-di-μ_3-hydroxo-hexacopper(II), 201
Catalysis
  diazotation of butyl amine by nitrite ion in alkaline solution catalyzed by $Fe(CN)_5NH_3^{3-}$, 99
  effects of catalytic system component types and polymerization conditions on molecular characteristics of 1,4-*cis*-polybutadienes, 239

© Elsevier Sequoia/Printed in Switzerland

Chelate complexes
application of high-performance liquid chromatography in investigation of reactions involving Ru(II)bis(bipyridyl) compounds, 1
Cu(II) complexes with 2,2′-biimidazole; preparation and crystal structure determination of complex of stoichiometry $Cu_{1.5}Cl_3(H_2bim)_2$ (H_2bim = 2,2′-biimidazole), 215
diaquabis(1,3-diaminopropane)Cu(II) difluoride; X-ray structure reveals short H bonds between ligand waters and lattice fluorides, 17
Fe(III) nitrate complexes with linear pentacoordinate ligands and their base hydrolysis products, 189
investigation of Al—C bond reactivity in bidentate ligand system; structure and reactivity studies of $[Al(8\text{-quinolinol})(C_2H_5)_2]_2$, 169
methylnickel compounds with chelating anionic ligands; crystal and molecular structures of methyl(trimethylphosphine)Ni oxinate and oxalate dimer, 21
stereochemical activity or non-activity of 'inert' pair of electrons on Pb(II) in relation to its complex stability and structural properties; some considerations in ligand design, 229
stereoselective synthesis and characterization of optically labile chiral Cr(III) complex Δ-$(+)_{589}$-{Cr[(−)bdtp]$_3$}, 209
synthesis and NMR characterization of cationic Rh(I) complexes containing P—S bidentate ligands, 41
X-ray molecular structure of bis(tetrabutylammonium)-bis(4,5-dimercapto-1,3-dithiole-2-thionate)oxomolybdenum and its oxidation, 133
Chiral complexes
stereoselective synthesis and characterization of optically labile chiral Cr(III) complex Δ-$(+)_{589}$-{Cr[(−)bdtp]$_3$}, 209
Chromium complexes
stereoselective synthesis and characterization of optically labile chiral Cr(III) complex Δ-$(+)_{589}$-{Cr[(−)bdtp]$_3$}, 209
Cobalt complexes
is hexaammine cobalt(III/II) electron self-exchange spin-forbidden? Analogy to photochemical processes, 225
preparation and ^{13}C NMR study of carbonato–, bicarbonato– and oxalato–tetraaminecobalt(III) complexes, 115
quantitative IR spectroscopic determination of concentrations of Co carbonyl complexes in three-component system, 109
reactions of coordination compounds in solid state behavior of optically active salt of *cis*-α-dichloro(triethylenetetramine)Co(III) chloride, $[Co(trien)Cl_2]Cl$, 51
racemization of K ethylenediaminetetraacetate cobaltate(III), 55
Copper complexes
Cu(II) complexes with 2,2′-biimidazole; preparation and crystal structure determination of complex of stoichiometry $Cu_{1.5}Cl_3(H_2bim)_2$ (H_2bim = 2,2′-biimidazole), 215
diaquabis(1,3-diaminopropane)Cu(II) difluoride; X-ray structure reveals short H bonds between ligand waters and lattice fluorides, 17
dithiosquarato cuprate and dithiosquarato palladate ions; single crystal ESR study and crystallographic investigations, 35
evidence for ferromagnetic ground state in polynuclear Cu(II) complex involving CuN_2O chromophores, 31
synthesis and characterization of chelating ion-exchange resins; spectral study of Cu(II) complexes of chelating ion-exchange resins containing multidentate imidazole moieties, 141
synthesis, structure and magnetism of two hexameric Cu(II) complexes; diaquabis[μ-(4-bromobenzoato-*O,O′*)]-tetrakis(4-bromobenzoato)-hexakis[μ-(2-dimethylaminoethanolato)]hexacopper(II) and bis[μ_3-(2-dibutylaminoethanolato)-μ-(2-dibutylaminoethanolato)]-tetrakis(μ-dichloroacetato-*O,O′*)-bis(dichloroacetato)-di-μ_3-hydroxo-hexacopper(II), 201
Crown ether complexes
kinetic and equilibrium studies of Na(I) cryptates $[Na.C211]^+$ and $[Na.C21C_5]^+$, and Na(I) diaza crown ether complex $[Na.C21]^+$ in non-aqueous solution, 83
Cryptate complexes
kinetic and equilibrium studies of Na(I) cryptates $[Na.C211]^+$ and $[Na.C21C_5]^+$, and Na(I) diaza crown ether complex $[Na.C21]^+$ in non-aqueous solution, 83
Crystal structure(s)
of $[Al(8\text{-quinolinol})(C_2H_5)_2]_2$, 169
of bis(tetrabutylammonium)-bis(4,5-dimercapto-1,3-dithiole-2-thionate)oxomolybdenum, 133
of $Cu_{1.5}Cl_3(H_2bim)_2$ (H_2bim = 2,2′-biimidazole), 215
of diaquabis[μ-(4-bromobenzoato-*O,O′*)]-tetrakis-(4-bromobenzoato)hexakis[μ-(2-dimethylaminoethanolato)]hexacopper(II) and bis-[μ_3-(2-dibutylaminoethanolato)-μ-(2-dibutylaminoethanolato)]tetrakis(μ-dichloroacetato-*O,O′*)-bis(dichloroacetato)-di-μ_3-hydroxo-hexacopper(II), 201
of diaquabis(1,3-diaminopropane)Cu(II) difluoride, 17
of dithiosquarato cuprate and dithiosquarato palladate ions, 35
Fe(III) nitrate complexes with linear pentacoordinate ligands and their base hydrolysis products, 189
of $[\{HB(Me_2pz)_3\}MoO_2(OC_6H_4S)]_2$, 95

of methyl(trimethylphosphine)Ni oxinate and oxalate dimer, 21
stereochemical activity or non-activity of 'inert' pair of electrons on Pb(II) in relation to its complex stability and structural properties; some considerations in ligand design, 229
Cyanide complexes
diazotation of butyl amine by nitrite ion in alkaline solution catalyzed by $Fe(CN)_5NH_3^{3-}$, 99

Diene complexes
effects of catalytic system component types and polymerization conditions on molecular characteristics of 1,4-*cis*-polybutadienes, 239
Dithiocarbamate complexes
^{125}Te NMR of Te(II) and Te(IV) dithiocarbamates, 71

Electrochemistry
redox potentials of trinuclear μ-oxo Ru acetate clusters with N-heterocyclic ligands, 63

Fluoride complexes
diaquabis(1,3-diaminopropane)Cu(II) difluoride; X-ray structure reveals short H bonds between ligand water and lattice fluorides, 17

Germanium complexes
reactions of Me_3N with GeH_3Br; evidence for stabilized Ge dihydride, 9

Hydrido complexes
reactions of Me_3N with GeH_3Br; evidence for stabilized Ge dihydride, 9

Imido complexes
alkylimido complexes of Ti(IV), 177
Ion exchange
synthesis and characterization of chelating ion-exchange resins; spectral study of Cu(II) complexes of chelating ion-exchange resins containing multidentate imidazole moieties, 141
Iridium complexes
synthesis of Rh(III), Ir(III) and Os(III) complexes with tris(2-aminoethanethiolato)Co(III), 221
Iron complexes
diazotation of butyl amine by nitrite ion in alkaline solution catalyzed by $Fe(CN)_5NH_3^{3-}$, 99
effect of molecular complexation of porphyrin ligand on axial ligation of FeTPPCl, 67
18 and 19 electron Fe(II) nitrosyl complexes with thiolato thioether ligands including N and O donators in S_5, OS_4, NS_4, S_4 and S_3 donator sets; synthesis and reactions of $[Fe(NO)('S_5')]^{n+}$, $[Fe(NO)('N_HS_4')]^{n+}$ ($n = 0, 1$) and $[Fe(NO)_2(L)]$ and X-ray structure analysis of $[Fe(NO)('N_HS_4')]$, 157
Fe(III) nitrate complexes with linear pentacoordinate ligands and their base hydrolysis products, 189
magnetic circular dichroism studies on monomeric and dimeric Fe–S complexes, 59
solution structures of tetrakis(1,2-ethanedithiolato)diiron(III) ion, 45

Kinetics and mechanism
diazotation of butyl amine by nitrite ion in alkaline solution catalyzed by $Fe(CN)_5NH_3^{3-}$, 99
kinetic and equilibrium studies of Na(I) cryptates $[Na.C211]^+$ and $[Na.C21C_5]^+$, and Na(I) diaza crown ether complex $[Na.C21]^+$ in non-aqueous solution, 83

Lanthanide complexes
effects of catalytic system component types and polymerization conditions on molecular characteristics of 1,4-*cis*-polybutadienes, 239
Lead complexes
stereochemical activity or non-activity of 'inert' pair of electrons on Pb(II) in relation to its complex stability and structural properties; some considerations in ligand design, 229

Macrocyclic ligand complexes
stereochemical activity or non-activity of 'inert' pair of electrons on Pb(II) in relation to its complex stability and structural properties; some considerations in ligand design, 229
Magnetic circular dichroism
studies on monomeric and dimeric Fe–S complexes, 59
Magnetism
evidence for ferromagnetic ground state in polynuclear Cu(II) complex involving CuN_2O chromophores, 31
synthesis, structure and magnetism of two hexameric Cu(II) complexes; diaquabis[μ-(4-bromobenzoato-*O,O'*)]-tetrakis(4-bromobenzoato)hexakis[μ-(2-dimethylaminoethanolato)]hexacopper(II) and bis[μ_3-(2-dibutylaminoethanolato)-μ-(2-dibutylaminoethanolato)]tetrakis(μ-dichloroacetato-*O,O'*)-bis(dichloroacetato)-di-μ_3-hydroxohexacopper(II), 201
Metallophthalocyanine complexes
mixed aggregates of phthalocyanines and porphyrins bearing oppositely charged substituents, 137
Metalloporphyrin complexes
effect of molecular complexation of porphyrin ligand on axial ligation of FeTPPCl, 67
mixed aggregates of phthalocyanines and porphyrins bearing oppositely charged substituents, 137

Molybdenum complexes
isolation of $[\{HB(Me_2pz)_3\}MoO_2(OC_6H_4S)]_2$, binuclear Mo(VI) complex containing disulfide bond, 95
X-ray molecular structure of bis(tetrabutylammonium)-bis(4,5-dimercapto-1,3-dithiole-2-thionate)oxomolybdenum and its oxidation, 133
Multidentate ligand complexes
synthesis and characterization of chelating ion-exchange resins; spectral study of Cu(II) complexes of chelating ion-exchange resins containing multidentate imidazole moieties, 141

Nickel complexes
methylnickel compounds with chelating anionic ligands; crystal and molecular structures of methyl(trimethylphosphine)Ni oxinate and oxalate dimer, 21
Nitrate complexes
Fe(III) nitrate complexes with linear pentacoordinate ligands and their base hydrolysis products, 189
synthesis and characterization of $[Pt(COD)Cl(NO_3)]$ and $[Pt(COD)(NO_3)_2]$ and use of $[Pt(COD)Cl_x(NO_3)_{2-x}]$ in preparation of *cis*-$[Pt(PPh_3)_2Cl_x(NO_3)_{2-x}]$ ($x = 0, 1, 2$) and $[Pt(PPh_3)_3L](NO_3)$ (L = Cl, NO_3), 89
Nitrosyl complexes
18 and 19 electron Fe(II) nitrosyl complexes with thiolato thioether ligands including N and O donators in S_5, OS_4, NS_4, S_4 and S_3 donator sets; synthesis and reactions of $[Fe(NO)('S_5')]^{n+}$, $[Fe(NO)('N_HS_4')]^{n+}$ ($n = 0, 1$) and $[Fe(NO)_2(L)]$ and X-ray structure analysis of $[Fe(NO)('N_HS_4')]$, 157
Nuclear magnetic resonance
^{125}Te NMR of Te(II) and Te(IV) dithiocarbamates, 71

Optical activity
reactions of coordination compounds in solid state; behavior of optically active salt of *cis*-α-dichloro(triethylenetetramine)Co(III) chloride, $[Co(trien)Cl_2]Cl$, 51
Osmium complexes
synthesis of Rh(III), Ir(III) and Os(III) complexes with tris(2-aminoethanethiolato)Co(III), 221
Oxalato complexes
preparation and ^{13}C NMR study of carbonato–, bicarbonato– and oxalato–tetraamine-cobalt(III) complexes, 115
Oxidation
on representation of soluble Pu by four oxidation states, 123
Oxo complexes
isolation of $[\{HB(Me_2pz)_3\}MoO_2(OC_6H_4S)]_2$, binuclear Mo(VI) complex containing disulfide bond, 95
redox potentials of trinuclear μ-oxo Ru acetate clusters with N-heterocyclic ligands, 63
synthesis and characterization of some Ru(V) oxo complexes of Schiff base, bis(salicylaldehyde)-*o*-phenylenediamine, with appended Cl^-, imidazole and 2-methylimidazole; first examples of stable oxo complexes via direct oxygenation, 103
X-ray molecular structure of bis(tetrabutylammonium)-bis(4,5-dimercapto-1,3-dithiole-2-thionate)oxomolybdenum and its oxidation, 133

Palladium complexes
binuclear Pd^{IV}–Pd^{IV} and Pd^{IV}–Pt^{IV} μ-hydrocarbyl complexes, 5
dithiosquarato cuprate and dithiosquarato palladate ions; single crystal ESR study and crystallographic investigations, 35
synthesis and characterization of Pd(II) complexes with aryl tellurols and diaryl ditellurides, 183
Platinum complexes
synthesis and characterization of $[Pt(COD)Cl(NO_3)]$ and $[Pt(COD)(NO_3)_2]$ and use of $[Pt(COD)Cl_x(NO_3)_{2-x}]$ in preparation of *cis*-$[Pt(PPh_3)_2Cl_x(NO_3)_{2-x}]$ ($x = 0, 1, 2$) and $[Pt(PPh_3)_3L](NO_3)$ (L = Cl, NO_3), 89
Plutonium compounds
on representation of soluble Pu by four oxidation states, 123
Polydentate ligand complexes
Fe(III) nitrate complexes with linear pentacoordinate ligands and their base hydrolysis products, 189
reactions of coordination compounds in solid state behavior of optically active salt of *cis*-α-dichloro(triethylenetetramine)Co(III) chloride, $[Co(trien)Cl_2]Cl$, 51
racemization of K ethylenediaminetetraacetate cobaltate(III), 55
Ru(II) complexes of tetra-2-pyridyl-1,4-diazine, 77
synthesis of Rh(III), Ir(III) and Os(III) complexes with tris(2-aminoethanethiolato)Co(III), 221
Polymerization
effects of catalytic system component types and polymerization conditions on molecular characteristics of 1,4-*cis*-polybutadienes, 239
Polynuclear complexes
evidence for ferromagnetic ground state in polynuclear Cu(II) complex involving CuN_2O chromophores, 31
synthesis of Rh(III), Ir(III) and Os(III) complexes with tris(2-aminoethanethiolato)Co(III), 221
synthesis, structure and magnetism of two hexameric Cu(II) complexes; diaquabis[μ-(4-bromobenzoato-*O*,*O*')]-tetrakis(4-bromo-

benzoato)hexakis[μ-(2-dimethylamino-ethanolato)]hexacopper(II) and bis[μ_3-(2-dibutylaminoethanolato)-μ-(2-dibutylamino-ethanolato)]tetrakis(μ-dichloroacetato-*O,O'*)-bis(dichloroacetato)-di-μ_3-hydroxo-hexa-copper(II), 201
Porphyrin complexes
effect of molecular complexation of porphyrin ligand on axial ligation of FeTPPCl, 67

Racemization
of K ethylenediaminetetraacetate cobaltate(III), 55
Resins
synthesis and characterization of chelating ion-exchange resins; spectral study of Cu(II) complexes of chelating ion-exchange resins containing multidentate imidazole moieties, 141
Rhodium complexes
synthesis and NMR characterization of cationic Rh(I) complexes containing P–S bidentate ligands, 41
synthesis of Rh(III), Ir(III) and Os(III) complexes with tris(2-aminoethanethiolato)Co(III), 221
Ruthenium complexes
application of high-performance liquid chromatography in investigation of reactions involving Ru(II) bis(bipyridyl) compounds, 1
redox potentials of trinuclear μ-oxo Ru acetate clusters with N-heterocyclic ligands, 63
Ru(II) complexes of tetra-2-pyridyl-1,4-diazine, 77
synthesis and characterization of some Ru(V) oxo complexes of Schiff base, bis(salicylaldehyde)-*o*-phenylenediamine, with appended Cl^-, imidazole and 2-methylimidazole; first examples of stable oxo complexes via direct oxygenation, 103

Samarium complexes
synthesis of new soluble Sm(II) diorganoamide, 121
Schiff base complexes
evidence for ferromagnetic ground state in polynuclear Cu(II) complex involving CuN_2O chromophores, 31
synthesis and characterization of some Ru(V) oxo complexes of Schiff base, bis(salicylaldehyde)-*o*-phenylenediamine, with appended Cl^-, imidazole and 2-methylimidazole; first examples of stable oxo complexes via direct oxygenation, 103
Sodium complexes
kinetic and equilibrium studies of Na(I) cryptates $[Na.C211]^+$ and $[Na.C21C_5]^+$, and Na(I) diaza crown ether complex $[Na.C21]^+$ in non-aqueous solution, 83
Squarato complexes
dithiosquarato cuprate and dithiosquarato palladate ions; single crystal ESR study and crystallographic investigations, 35
Sulfide complexes
isolation of $[\{HB(Me_2pz)_3\}MoO_2(OC_6H_4S)]_2$, binuclear Mo(VI) complex containing disulfide bond, 95
Sulfur complexes
magnetic circular dichroism studies on monomeric and dimeric Fe–S complexes, 59
Sulfur ligand complexes
18 and 19 electron Fe(II) nitrosyl complexes with thiolato thioether ligands including N and O donators in S_5, OS_4, NS_4, S_4 and S_3 donator sets; synthesis and reactions of $[Fe(NO)('S_5')]^{n+}$, $[Fe(NO)('N_HS_4')]^{n+}$ ($n = 0, 1$) and $[Fe(NO)_2(L)]$ and X-ray structure analysis of $[Fe(NO)('N_HS_4')]$, 157

Telluride complexes
synthesis and characterization of Pd(II) complexes with aryl tellurols and diaryl ditellurides, 183
Tellurium complexes
^{125}Te NMR of Te(II) and Te(IV) dithiocarbamates, 71
Tellurol complexes
synthesis and characterization of Pd(II) complexes with aryl tellurols and diaryl ditellurides, 183
Titanium complexes
alkylimido complexes of Ti(IV), 177
Trinuclear complexes
redox potentials of trinuclear μ-oxo Ru acetate clusters with N-heterocyclic ligands, 63